

# Lok-it 1200W/80V/32/P50 12/CS 1/SKU



# Product features and benefits

- High quality halogen light source optimized for spotlight applications
- Fast lamp replacement with one-touch rotate and lock base and socket design
- Consistent color over the life of the lamps
- Dimmable with traditional amber shift

### Areas of application

- Concert Lighting
- Club & Disco
- Stage & Theatre
- Studio, TV, & Film
- Architecture & Architainment

# Product datasheet

### Technical data

### **General Product Information**

Product number (Americas)	54871	
Product name (Americas)	Lok-it 1200W/80V/32/P50 12/CS 1/SKU	
Lamp type	SE	
Global order reference	Lok-it! 1200 W 80 V/32/P50	


# **Electrical Data**

Nominal wattage	1200 W	
Nominal voltage	80 V	

# **Photometric Data**

Nominal luminous flux	37500 lm
Color temperature	3200 K
Color rendering index Ra	100
Light center length (LCL)	84.0 mm
Light center length (LCL) - (in)	3.307 in

# **Physical Attributes & Dimensions**



Lamp base	-
Diameter	23.0 mm
Diameter (in)	0.906 in
Diameter	23.0 mm
Length	140.0 mm
Product weight	155.00 g

# **Operating Conditions**

-	
Burning position	Any

#### Product datasheet

Dimmable	Yes

#### **Lifetime Data**

Nominal lifetime	250 hr

### **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Primary article identifier	4008321382795	
Energy efficiency class	G	
Declaration no. in SCIP database	No declarable substances contained	
Candidate list substance 1	No declarable substances contained	

### Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

#### **Packaging Information**

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54871	4008321382795	FOLDING BOX	1	2.7 in x 2.7 in x 6.3 in	0.4 lb
54871	4008321382801	SHIPPING BOX	12	11.5 in x 8.7 in x 6.9 in	5.2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

June 4, 2025, 08:35:30 Lok-it! 1200 W 80 V/32/P50