EB-720



Compact, affordable display that creates a cost-effective and collaborative digital workspace in every environment.

Whatever the size of workspace, unrestricted and immersive presentations are now possible with this compact, affordable display solution. Due to a large display size, and flexible formats, content can be viewed from every angle, and participants can share directly from their own devices, for the perfect collaborative experience.


With the EB-720, users are no longer restricted to a single display size, with bright, large scalable options up to 110". Unlike flat-panel equivalents, there are no shadows, glare or blind spots, and the 3,800lm high-brightness laser light source can work when ambient lighting is also high. Multi-screen capability makes collaboration easy and intuitive, while a split-screen feature can show up to four inputs on one large display.

The viewing experience is more immersive, with multiple connectivity options enhancing exceptional image and sound quality. For the ultimate in engagement, wireless connectivity, including Screen Mirroring via Miracast, allows everyone to share content from their tablets, mobiles or laptops. By connecting an optional Epson document camera you can easily display images of 3D objects with incredible detail for the whole room to see.

Unlike flat panels displays, the EB-720 provides multiple display sizes and formats for one fixed cost. It also offers flexible mounting options to deploy a more comfortable view for delegates. When used with antibacterial whiteboards it provides more hygienic workspaces and is free from finger marks.

Sustainability is another strength, based on sustainable manufacturing, product usage and lifecycle.

DATASHEET / BROCHURE



KEY FEATURES

- Any room, any size Bright, large-format display options up to 110"
- Every-angle viewing No restricted angles, shadows, glare or blind spots
- Multiple collaboration options Expand connectivity through BYOD devices, VC cameras and more
- Document camera compatibility Create a totally immersive experience with sound and visuals
- Exceptional reliability Maintenance-free laser technology for fitand-forget peace of mind



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0.55 inch with C2 Fine
IMAGE	
Color Light Output	3,800 Lumen- 2,660 Lumen (economy) In accordance with IDMS15.4
	3,800 Lumen - 2,660 Lumen (economy) In accordance with ISO 21118:2020
White Light Output	XGA
Resolution	4:3
Aspect Ratio Contrast Ratio	
	2,500,000 : 1 Laser
Light source	
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco
Keystone Correction	Manual vertical: ± 3 °, Manual horizontal ± 3 ° 10 Bits
Colour Video Processing	
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	0.32 - 0.43:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	65 inches - 110 inches
Projection Lens F Number	1.6
Projection Lens Focal Length	3.7 mm
Projection Lens Focus	Manual
Offset	7:1
	/:1
CONNECTIVITY	
CONNECTIVITY USB Display Function	2 in 1: Image/ Sound
CONNECTIVITY	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T),
CONNECTIVITY USB Display Function	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x),
CONNECTIVITY USB Display Function Interfaces	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input
CONNECTIVITY USB Display Function Interfaces Epson iProjection App	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre-
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration,
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Split-Screen-
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes Other features	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Spit-Screen- Function, Super resolution, Web Control, Web Remote, Wireless LAN capable
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes Other features	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Split-Screen- Function, Super resolution, Web Control, Web Remote, Wireless LAN capable No
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes Other features	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Split-Screen- Function, Super resolution, Web Control, Web Remote, Wireless LAN capable No Blackboard, Cinema, Dynamic, Presentation, sRGB
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes Other features	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Split-Screen- Function, Super resolution, Web Control, Web Remote, Wireless LAN capable No Blackboard, Cinema, Dynamic, Presentation, sRGB via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron
CONNECTIVITY USB Display Function Interfaces Epson iProjection App Network Protocol ADVANCED FEATURES Security 2D Colour Modes Other features	2 in 1: Image/ Sound USB 2.0-A (2x), USB 2.0, RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack plug out, Jack plug in (3x), Microphone input Ad-Hoc / Infrastructure HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre- setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Split-Screen- Function, Super resolution, Web Control, Web Remote, Wireless LAN capable No Blackboard, Cinema, Dynamic, Presentation, sRGB

EB-720

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Removable battery x2
- Quick Start Guide





PRODUCT SPECIFICATIONS

GENERAL		
Power consumption	255 Watt, 197 Watt (economy), 0.5 Watt (standby), On mode power consumption as defined in	
	JBMS-84 200 Watt	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	356 x 395 x 133 mm (Width x Depth x Height)	
Product weight	5.7 kg	
Noise Level	Normal: 36 dB (A) - Economy: 26 dB (A)	
Supported Temperature	Storage -10° C - 60° C	
Included Software	EasyMP Multi PC Projection, Epson Projector Management	
Options	Connection and control box, Document camera, External Speaker, Wall mount, Wireless LAN	
	unit	
Loudspeaker	16 Watt	
Room Type / Application	Boardroom, Meeting room / Classroom	
Positioning	Ceiling Mounted, Table Mounted, Wall Mounted	
Colour	White	
TCO Certified	For further information relating to TCO Certified please visit	
	https://tcocertified.com/files/certification/Information-document-for-end-users.pdf	
OTHER		
Warranty	60 months Carry in or 12,000 h	
	Optional warranty extension available	

EB-720

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Removable battery x2
- Quick Start Guide



OPTIONAL ACCESSORIES

- Air Filter ELPAF60 EB-7XX / EB-L2xx Series V13H134A60
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Control and Connection Box ELPCB03 V12H927040
- Control and Connection Box ELPCB03 V12H927040DA
- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01
- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA

LOGISTICS INFORMATION

SKU	V11HA01040
EAN code	8715946681870
Country of Origin	China



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Laly 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)

Spain 93 562 15 00 Sweden 077 1-400135 (Woolisamaa - 0,99 kr/min, Lokala samaa - 0,30 kr/min, Olianossamaa - 0,69 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. EB-720

